

POLYPROPYLENE-COATED

FIBREGLASS ROD

Ø3 mm

Very flexible and light. It adapts very well to any cable route. Virtually no friction at bends.

Ø3.5 mm

Its greater rigidity makes it perfect for long straight sections with hardly any bends. Excellent pushing strength.

Anguilo

NYLON-COATED

FIBREGLASS ROD

Inner rod reinforced with reformulated composites and nylon coating.

Very flexible. It increases outer toughness and durability. Less friction. For delicate jobs.

anguila max

SMALL DIAMETERS

FOR PIPES UP TO Ø50 mm

LENGTHS: UP TO 30 m



FISH TAPE FIBREGLASS + POLYPROPYLENE

INTERCHANGEABLE TERMINALS



IBREGLASS + F	POLYPROPYLENE					
Ø DIAMETER	LENGTH	UNITS/BOX	COLOUR	REF.	ACC. INCLUDED	PRICE €/u.
	10 m	5	•	3.0300.010	- 2 units -	23.50
2	15 m	5		3.0300.015		31.60
3 mm	20 m	5		3.0300.020		39.80
	30 m	5		3.0300.030		56.10



Ø DIAMETER	LENGTH	UNITS/BOX	COLOUR	REF.	ACC. INCLUDED	PRICE €/u.
3.5 mm	10 m	5	-	3.0350.010	- 2 units - -	24.50
	15 m	5		3.0350.015		34.40
	20 m	5		3.0350.020		44.35
	30 m	5		3.0350.030		63.70

Models available with VH250 Container with brake. See page 42-43

anguila

FISH TAPE FIBREGLASS + NYLON

REINFORCED FIBREGLASS + NYLON

MIXED TERMINALS



					A CONTRACTOR OF THE PARTY OF TH	
	7				The state of the s	
Ø DIAMETER	LENGTH	UNITS/BOX	COLOUR	REF.	ACC. INCLUDED	PRICE €/u.
	7 m	1	1000	3.5030.007		30.90
3 mm	14 m	1		3.5030.014	10 units	41.20
	21 m	1		3.5030.021		51.50

Ø DIAMETER	LENGTH	UNITS/BOX	COLOUR	REF.	ACC. INCLUDED	PRICE €/u.
3 mm	12 m	1	•	3.5030.012	10 units	37.10
	22 m	1		3.5030.022		53.60
	32 m	1		3.5030.032		70.10

INTERCHANGEABLE TERMINALS

Screw terminal Ø6 mm M5



ACCESSORIES 1NCLUDED 2 units 1 x 4.1001.000 1 x 4.3001.000

MIXED TERMINALS

Fixed flexible pulling head Ø 8 mm M5



