

FISH TAPE INDUSTRIAL

Length up to 300 metres
Pipes, conduits and ducts from Ø40 to 200 mm



OUR RANGE OF MATERIALS IS OUR
GUARANTEE OF SATISFACTION.
WE HELP YOU CHOOSE. CHOOSE WELL.

Estiara

Suitable for outside installations with long conduit runs requiring flexible and heavy duty large diameter products.

MATERIAL FOR INDUSTRIAL INSTALLATIONS

FEATURES													
GENERAL				PUSHING					PULLING		RECOMMENDATIONS		
MATERIALS	MATERIAL DIAMETER Ø mm	COLOUR	AVERAGE DURABILITY	EASY INSERTION	DIAMETER OF TURN Ø cm	EASY TURN	PUSHING STRENGTH	TWISTING STRENGTH	FRICTION	TENSILE STRENGTH	BREAKING STRENGTH	IDEAL PIPE Ø mm	OPTIMAL LENGTH m
	6 mm		Long	★☆☆☆☆	12 cm	High	Normal	High	Low	350 kg	★★★★☆	50-90 mm	20-50 m
	10 mm		Very Long	★☆☆☆☆	25 cm	Normal	Normal	High	Low	1000 kg	★★★★★	90-140 mm	50-80 m
	4.5 mm		Medium	★★★★★	10 cm	High	High	Very High	Minimum on straight line	120 kg	★★★★☆	40-90 mm	20-30 m
	6 mm		Medium	★★★★★	15 cm	Normal	High	Very High	Minimum on straight line	200 kg	★★★★☆	50-140 mm	30-50 m
	9 mm		Medium	★★★★★	30 cm	Low	Very High	Very High	Minimum on straight line	350 kg	★★★★☆	63-200 mm	50-120 m
	11 mm		Medium	★★★★★	40 cm	Low	Very High	Very High	Minimum on straight line	500 kg	★★★★☆	63-200 mm	50-200 m
	14 mm		Medium	★★★★★	60 cm	Low	Maximum	Very High	Minimum on straight line	600 kg	★★★★★	63->200 mm	150-300 m
	6 mm		Very Long	★★★★★	6 cm	Very High	Very High	High	Minimum	300 kg	★★★★★	40-80 mm	20-50 m
	6 mm		Maximum	★★★★★	8 cm	High	Very High	Very High	Minimum	350 kg	★★★★★	50-140 mm	30-80 m

★ Normal ★★ Good ★★★ Very good ★★★★ Excellent ★★★★★ Maximum

SMALL DIAMETERS

LENGTH UP TO 50 m

Anguila

COATED STEEL

INTERCHANGEABLE TERMINALS

FISH TAPE FLAT BAND STEEL + POLYPROPYLENE



Ø DIAMETER	LENGTH	CONTAINER	WEIGHT kg	COLOUR	REF.	ACC. INCLUDED
4 mm	40 m	-	1.00		2.0400.040	A + B
	50 m	-	1.30		2.0400.050	
4 mm	10 m	VH250	0.90		2.0416.010	A + B
	15 m	VH250	1.00		2.0416.015	
	20 m	VH250	1.10		2.0416.020	
	30 m	VH250	1.40		2.0416.030	
	40 m	VH250	1.65		2.0416.040	
	50 m	VH250	1.90		2.0416.050	

FISH TAPE STEEL CABLE + POLYPROPYLENE



Ø DIAMETER	LENGTH	CONTAINER	WEIGHT kg	COLOUR	REF.	ACC. INCLUDED
4 mm	40 m	-	1.50		6.0400.040	A + B
	50 m	-	1.90		6.0400.050	
4 mm	10 m	VH250	1.00		6.0416.010	A + B
	15 m	VH250	1.20		6.0416.015	
	20 m	VH250	1.35		6.0416.020	
	30 m	VH250	1.75		6.0416.030	
	40 m	VH250	2.10		6.0416.040	
	50 m	VH250	2.50		6.0416.050	

COATED FIBREGLASS ROD

INTERCHANGEABLE TERMINALS

FISH TAPE FIBREGLASS + POLYPROPYLENE



Ø DIAMETER	LENGTH	CONTAINER	WEIGHT kg	COLOUR	REF.	ACC. INCLUDED
3 mm	40 m	-	0.40		3.0300.040	A + B
	50 m	-	0.50		3.0300.050	
3 mm	10 m	VH250	0.70		3.3016.010	A + B
	15 m	VH250	0.75		3.3016.015	
	20 m	VH250	0.80		3.3016.020	
	30 m	VH250	0.90		3.3016.030	
	40 m	VH250	1.00		3.3016.040	
	50 m	VH250	1.10		3.3016.050	

ACCESSORIES INCLUDED

- A** 1x Flexible Pulling Head, Ø6 mm, M5 REF. 4.1001.000
- B** 1x Standard Eyelet, Ø6 mm, M5 REF. 4.3001.000
- C** 1x Aluminium Head Ø30 mm M5 REF. 4.2001.000



Anguila

COATED FIBREGLASS ROD

INTERCHANGEABLE TERMINALS

FISH TAPE FIBREGLASS + POLYPROPYLENE



Ø DIAMETER	LENGTH	CONTAINER	WEIGHT kg	COLOUR	REF.	ACC. INCLUDED
3.5 mm	40 m	-	0.60		3.0350.040	A + B
	50 m	-	0.75		3.0350.050	
3.5 mm	10 m	VH250	0.75		3.3516.010	A + B
	15 m	VH250	0.85		3.3516.015	
	20 m	VH250	0.90		3.3516.020	
	30 m	VH250	1.05		3.3516.030	
	40 m	VH250	1.20		3.3516.040	
	50 m	VH250	1.35		3.3516.050	
Ø DIAMETER	LENGTH	CONTAINER	WEIGHT kg	COLOUR	REF.	ACC. INCLUDED
4.5 mm	10 m	-	0.25		3.0450.010	A + B + C
	20 m	-	0.50		3.0450.020	
	30 m	-	0.70		3.0450.030	
	40 m	-	0.95		3.0450.040	
	50 m	-	1.15		3.0450.050	
	60 m	-	1.40		3.0450.060	
4.5 mm	80 m	-	1.85		3.0450.080	A + B + C
	30 m	VH450	3.60		3.0419.030	
	40 m	VH450	3.84		3.0419.040	
	50 m	VH450	4.10		3.0419.050	
	60 m	VH450	4.30		3.0419.060	
	80 m	VH450	4.75		3.0419.080	

BRAIDED POLYESTER

INTERCHANGEABLE TERMINALS

FISH TAPE TRIPLE BRAIDED POLYESTER



Ø DIAMETER	LENGTH	CONTAINER	WEIGHT kg	COLOUR	REF.	ACC. INCLUDED
4.5 mm	40 m	-	0.85		7.0450.040	A + B + C
	50 m	-	1.05		7.0450.050	
	60 m	-	1.25		7.0450.060	
4.5 mm	30 m	VH450	3.55		7.0419.030	A + B + C
	40 m	VH450	3.75		7.0419.040	
	50 m	VH450	3.95		7.0419.050	
	60 m	VH450	4.20		7.0419.060	

FISH TAPE MONOFILAMENT BRAIDED POLYESTER



Ø DIAMETER	LENGTH	CONTAINER	WEIGHT kg	COLOUR	REF.	ACC. INCLUDED
4.5 mm	40 m	-	0.80		7.1450.040	A + B + C
	50 m	-	1.00		7.1450.050	
	60 m	-	1.20		7.1450.060	
4.5 mm	30 m	VH450	3.50		7.1419.030	A + B + C
	40 m	VH450	3.70		7.1419.040	
	50 m	VH450	3.90		7.1419.050	
	60 m	VH450	4.10		7.1419.060	

ACCESSORIES

FOR INDUSTRIAL FISH TAPES AND CONDUIT RODS

FOR PUSHING THROUGH: HEADS

PRODUCT	DESCRIPTION	REF.	PACKING
	Flexible Head Ø8 mm, M5	4.1002.000	<u>1 unit</u> 5 units
	Flexible Pulling Head (100 kg) Ø8 mm, M5	4.1002.001	<u>1 unit</u> 5 units
	Flexible Head Ø14 mm, M12	4.1004.000	<u>1 unit</u> 5 units
	Aluminium Head Ø30 mm, M5	4.2001.000	<u>1 unit</u> 5 units
	Aluminium Head Ø30 mm, M12	4.2007.000	<u>1 unit</u> 5 units
	Aluminium Head Ø53 mm, M12	4.2003.000	<u>1 unit</u> 5 units
	Metal brush Ø100 mm, M12	4.4001.000	1 unit
	Perforating Head Ø8 mm M5	4.1008.002	<u>1 unit</u> 5 units

FOR PULLING: EYELETS, LOOPS AND SHACKLES

PRODUCT	DESCRIPTION	REF.	PACKING
	Brass Eyelet Ø8 mm, M5	4.3002.000	<u>1 unit</u> 5 units
	Aluminium shackle Ø30 mm, M5	4.3003.000	<u>1 unit</u> 5 units
	Aluminium shackle Ø53 mm, M12	4.3005.000	<u>1 unit</u> 5 units
	Aluminium shackle Ø30 mm, M12	4.3009.000	<u>1 unit</u> 5 units
	Aluminium Hooking Joint M5	4.3006.000	<u>1 unit</u> 5 units
	Aluminium Hooking Joint M12	4.3008.000	<u>1 unit</u> 5 units
	Aluminium Hooking Joint M12	4.3010.000	<u>1 unit</u> 5 units

COUPLING JOINTS: FIXED AND SWIVEL

PRODUCT	DESCRIPTION	REF.	PACKING
	Aluminium Swivel Coupling Link Ø25 mm, M12 - M12	4.6003.000	<u>1 unit</u> 5 units
	Aluminium Swivel Link Ø15 mm, M5 - M5	4.6005.000	<u>1 unit</u> 5 units
	Fixed Brass Coupling Link Ø8 mm, M5 - M5	4.6006.000	<u>1 unit</u> 5 units

ACCESSORIES

FOR INDUSTRIAL FISH TAPES AND CONDUIT RODS

TERMINALS FOR FIBRE REPAIR




PRODUCT	DESCRIPTION	REF.	PACKING
	Brass screw terminal for Ø4.5 mm fibre Ø8 mm, M5	4.8000.002	1 unit
	Brass Screw Terminal for Ø6 mm fibre Ø8 mm, M5	4.8000.003	1 unit
	Ø4,5 mm Fibre Terminal Repair Kit Ø8 mm (1 set) * Does not include adhesive	4.8002.000	1 unit
	Ø6 mm Fibre Terminal Repair Kit Ø8 mm (1 set) * Does not include adhesive	4.8003.000	1 unit
	Brass Screw Terminal for Ø9 mm fibre Ø14 mm, M12	4.8000.004	1 unit
	Brass Screw Terminal for Ø11 mm fibre Ø14 mm, M12	4.8000.005	1 unit
	Ø9 mm Fibre Terminal Repair Kit Ø14 mm	4.8004.000	1 unit
	Ø11 mm Fibre Terminal Repair Kit Ø14 mm	4.8005.000	1 unit
	Simple Join Kit for Ø4,5 mm Fibre Ø8 mm (2 units)	4.8007.000	1 unit
	Simple Join Kit for Ø6 mm Fibre Ø8 mm (2 units)	4.8008.000	1 unit
	Simple Join Kit for Ø9 mm Fibre Ø14 mm	4.8009.000	1 unit
	Simple Join Kit for Ø11mm Fibre Ø14 mm	4.8010.000	1 unit
	Adhesive for Fibre 5 ml	4.8100.000	1 unit
	Small Crimping Pliers 38 cm Ø6/8 mm Fibre Terminal Repair (matrices for repair not included)	4.8501.000	1 unit
	Set of 2 Matrices for Repair Ø6/8 mm Fibre Terminals Circular Bolting	4.8502.001	2 units
	Set of 2 Matrices for Repair Ø6/8 mm Fibre Terminals Hexagonal Bolting	4.8502.002	2 units
	Set of 2 Matrices for Repair Terminals Ø5/6/7/8mm Circular Bolting	4.8502.003	2 units

EMPTY CONTAINERS

HOUSEHOLD CONTAINERS

PRODUCT	DESCRIPTION	REF.	PACKING
	ANGUILA WINDER Universal reeler Anguila fish tape guides	4.5006.000	1 unit

INDUSTRIAL CONTAINERS

SERIES	VH-V SERIES				H SERIES			VH-T SERIES		
										
MODEL	VH-250	VH-350	VH-450	VH-580	H-450	H-620	H-720	VH-600	VH-800	VH-1000
REFERENCE	4.5016.000	4.5013.000	4.5019.000	4.5014.000	4.5002.000	4.5003.000	4.5004.000	4.5017.000	4.5015.000	4.5018.000

CONTAINER DIMENSIONS (cm)

A	25	35	45	58	45	62	72	58	78	97
B	11.5	18	18	18	45	62	72	19	28	38
C	30	41	51	65	13.5	13.5	15.5	69	81	103

PACKING DIMENSIONS (cm)

A	25.5	36.5	46.5	58.5	45.5	63	73	60	80	100
B	14	19	19	21	47	65	75	20	30	40
C	34	45	54	68	15	15	16.5	71	86	105

NET WEIGHT

kg	0.6	2.3	2.9	3.6	3.4	5.0	5.6	5.2	8.7	14.8
----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------

WHEELS AND BRAKES

WHEELS	NO	NO	NO	NO	NO	NO	NO	NO	YES	YES
BRAKE	YES	YES	YES	YES	NO	NO	NO	YES	YES	YES