



INNOVATION IN FISH TAPE

- MORE EFFECTIVE AND TIME-SAVING WORK.
- MORE RESISTANT MATERIALS. MORE DURABLE COATINGS.
- MORE ADAPTABLE LENGTHS: 12, 22, 32 m / 6, 12, 18 m.
- MULTIPLE ACCESSORIES INCLUDED.

MIXED TERMINALS


FIXED FLEXIBLE PULLING HEAD Ø 8 mm M5



- All-in-one
- Speed: Push, tie and pull
- Versatility: For all accessories.

Screw terminal Ø6 mm M5

FIXED FLEXIBLE HEAD Ø 5 mm



- Special narrow conduit or with cables already installed.
- Minimalism, flexibility and rigidity.
- Versatility: All the accessories.

Screw terminal Ø6 mm M5

UNIVERSAL REELER FOR ANGUILA FISH TAPE GUIDES

NEW



- PROTECTION FOR YOUR TOOL, MORE TIME FOR YOU.



PATENTED

TRANSPORT GRIP

INLET / OUTLET OVERSIZED FOR REDUCED FRICTION

COMPARTMENT WITH LID FOR ACCESSORIES

MADE OF ABS
MAXIMUM IMPACT STRENGTH

TRANSLUCENT BACK
FOR QUICK VIEWING OF TAPE














QUICK DISASSEMBLY CLIP
NO TOOLS NEEDED

MACHINED METAL SHAFT
LOW FRICTION, LONG DURABILITY

TURNING HANDLE
FOR ROLLING UP

MODES OF USE: 1. HANDS FREE. Hung from the grip or on the floor. / 2. HAND HELD

ACCESSORIES INCLUDED IN ANGUILA MAX


		STANDARD RANGE	PREMIUM RANGE	
		BI-NYLON Solid Monofilament 	FIBREGLASS ROD Nylon-Coated 	POLYESTER Triple Braided 
		STEEL CABLE Nylon coated 		POLYESTER Monofilament Braided 
4.1001.000 STANDARD FLEXIBLE HEAD		1	1	1
4.1001.002 SUPER FLEXIBLE HEAD			1	1
4.1001.003 SWIVELLING FLEXIBLE HEAD			1	1
4.6004.000 FIXED BRASS SLEEVE		1	1	1
4.8000.015 BRASS SCREW TERMINAL FOR Ø3 mm FIBRE			2	
4.3001.000 STANDARD EYELET		2	2	2
4.3001.001 BRASS EYELET			1	1
4.3001.002 STEEL LOOP			1	1
TOTAL		4	10	8


STANDARD RANGE

FISH TAPE MONOFILAMENT NYLON

MIXED TERMINALS



BI-NYLON SOLID MONOFILAMENT					
Ø DIAMETER	LENGTH	UNITS/BOX	COLOUR	REF.	ACCESSORIES
4 mm	12 m	20		1.5240.012	4 Accessories included (page 12)
	22 m	20		1.5240.022	

WINDER (+) ANGUILA MAX SOLID MONOFILAMENT BI-NYLON					
Ø DIAMETER	LENGTH	UNITS/BOX	COLOUR	REF.	ACCESSORIES
4 mm	12 m	4		W1.5240.012	4 Accessories included (page 12)
	22 m	4		W1.5240.022	





STANDARD RANGE

FISH TAPE STEEL+NYLON

MIXED TERMINALS



STEEL CABLE + NYLON					
Ø DIAMETER	LENGTH	UNITS/BOX	COLOUR	REF.	ACCESSORIES
4 mm	12 m	20		6.5040.012	4 Accessories included (page 12)
	22 m	20		6.5040.022	


WINDER (+) ANGUILA MAX STEEL CABLE + NYLON					
Ø DIAMETER	LENGTH	UNITS/BOX	COLOUR	REF.	ACCESSORIES
4 mm	12 m	4		W6.5040.012	4 Accessories included (page 12)
	22 m	4		W6.5040.022	


PREMIUM RANGE

FISH TAPE FIBREGLASS + NYLON

MIXED TERMINALS



REINFORCED FIBREGLASS + NYLON					
Ø DIAMETER	LENGTH	UNITS/BOX	COLOUR	REF.	ACCESSORIES
3 mm	12 m	5		3.5030.012	10 Accessories included (page 12)
	22 m	5		3.5030.022	
	32 m	5		3.5030.032	

WINDER (+) ANGUILA MAX REINFORCED FIBREGLASS + NYLON					
Ø DIAMETER	LENGTH	UNITS/BOX	COLOUR	REF.	ACCESSORIES
3 mm	12 m	4		W3.5030.012	10 Accessories included (page 12)
	22 m	4		W3.5030.022	
	32 m	4		W3.5030.032	



FISH TAPE **BRAIDED POLYESTER**

MIXED TERMINALS



TRIPLE BRAIDED POLYESTER					
Ø DIAMETER	LENGTH	UNITS/BOX	COLOUR	REF.	ACCESSORIES
4.5 mm	12 m	5		7.5045.012	8 Accessories included (page 12)
	22 m	5		7.5045.022	

WINDER (+) ANGIILA MAX TRIPLE BRAIDED POLYESTER

Ø DIAMETER	LENGTH	UNITS/BOX	COLOUR	REF.	ACCESSORIES
4.5 mm	12 m	4		W7.5045.012	8 Accessories included (page 12)
	22 m	4		W7.5045.022	



MONOFILAMENT BRAIDED POLYESTER					
Ø DIAMETER	LENGTH	UNITS/BOX	COLOUR	REF.	ACCESSORIES
3 mm	6 m	5		7.5330.006	8 Accessories included (page 12)
	12 m	5		7.5330.012	
	18 m	5		7.5330.018	

WINDER (+) ANGIILA MAX MONOFILAMENT TRIPLE BRAIDED POLYESTER

Ø DIAMETER	LENGTH	UNITS/BOX	COLOUR	REF.	ACCESSORIES
3 mm	12 m	4		W7.5330.012	8 Accessories included (page 12)
	18 m	4		W7.5330.018	



MONOFILAMENT BRAIDED POLYESTER					
Ø DIAMETER	LENGTH	UNITS/BOX	COLOUR	REF.	ACCESSORIES
4.5 mm	12 m	5		7.5145.012	8 Accessories included (page 12)
	22 m	5		7.5145.022	
	32 m	5		7.5145.032	

WINDER (+) ANGIILA MAX MONOFILAMENT TRIPLE BRAIDED POLYESTER

Ø DIAMETER	LENGTH	UNITS/BOX	COLOUR	REF.	ACCESSORIES
4.5 mm	12 m	4		W7.5145.012	8 Accessories included (page 12)
	22 m	4		W7.5145.022	



TRIPLE BRAIDED, A SOLUTION FOR EVERY INSTALLATION

TRIPLE BRAIDED Ø4,5 mm FOR **BENDS**

- **Perfect balance between flexibility and rigidity.** Greater twisting strength, greater control over the situation
- **Manufactured with three braided threads.** Helps to minimize friction.
- **High durability material.** Doesn't break or mark when bent.



MONOFILAMENT BRAIDED Ø3 mm FOR **NARROW PIPES**

- **Flexibility, rigidity and minimalism.** Reduced diameter to facilitate work in very narrow pipes or with cables already installed.
- **Manufactured with helical monofilament.** Helps to minimize friction.
- **High durability material.** Doesn't break or mark when bent.



MONOFILAMENT BRAIDED Ø4,5 mm FOR **STRAIGHT RUNS**

- **High rigidity provides maximum thrust.** Reaches the longest distances in straight runs.
- **Manufactured with helical monofilament.** Helps to minimize friction.
- **High durability material.** Doesn't break or mark when bent.

